



Connection problems

Sometimes when you try to connect to a meeting, Adobe Connect can “stop” when the meeting is loading. If this happens, you need to open some ports in the firewall. This is very rare for people at home, it mostly happens for networks with high security such as company networks.

Created: 2011-04-14

ICT-pedagogical centre

Högskolan Dalarna



Phone: +46 (0)23 – 77 87 87

E-mail: support@du.se

Contents

Which ports should be open in the firewall?	3
ICT-pedagogical centre	4



Which ports should be open in the firewall?



You need to open the ports: **1935** (RTMP), **80** (http) and port **443** (SSL).

These ports are TCP and only needs to be open to the IP-addresses

130.243.57.251 130.243.57.252. och 130.243.57.237.

If any port is closed, you noticed it by doing [this test for our meeting rooms](#)¹ or when you are trying to connect to a meeting and Adobe Connect has “stopped” when the meeting was loading (this can also depend on a very slow speed on the broad band).

Not anyone can open these ports so contact your IT-department and they will help you.

¹ https://connect1.du.se/common/help/en/support/meeting_test.htm

ICT-pedagogical centre

Högskolan Dalarna



Phone: +46 (0)23 – 77 87 87

E-mail: support@du.se

ICT-pedagogical centre

This manual is created by ICT-pedagogical centre. If you discover defects or other failures, please let us know by e-mail us at support@du.se.

For more manuals, please visit:

manuals for teachers: <http://www.du.se/teachermanuals>

Manuals for students: <http://www.du.se/manuals>

Do you want to know more about ICT-pedagogical centre? Please visit:

<http://www.du.se/ikt>.